



Cable USB 3.0 Type A-B Male-Male 2m Blue2m USB-A USB-B

Data sheet

Summary

- ✓ USB 3.2 Gen 1 performance for faster data transfers between host and peripherals, suited for printers, scanners, and external drives
- ✓ 2 m length gives flexibility for workstation and rack setups while keeping cabling neat
- ✓ Low smoke zero halogen jacket, suitable for offices and data centres where safety standards matter
- ✓ Straight USB-A and USB-B male connectors with nickel-plated contacts for secure, corrosion-resistant connections
- ✓ Consideration: provides standard USB power only, not suitable for charging devices that require higher power

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-B Male-Male 2m Blue provides reliable, high-speed connectivity for peripherals such as printers, scanners, and external drives. Its USB 3.2 Gen 1 compatibility delivers faster transfers, while the 2 m length offers flexible placement. The LSZH jacket reduces smoke and toxic gases in case of fire, supporting safer installations in offices and data centers.

Prokord Cable USB 3.0 Type A-B Male-Male 2m Blue in short:

- USB 3.2 Gen 1 performance for faster data transfers between host and peripherals, suited for printers, scanners, and external drives
- 2 m length gives flexibility for workstation and rack setups while keeping cabling neat
- Low smoke zero halogen jacket, suitable for offices and data centres where safety standards matter
- Straight USB-A and USB-B male connectors with nickel-plated contacts for secure, corrosion-resistant connections
- Consideration: provides standard USB power only, not suitable for charging devices that require higher power

Prokord Cable USB 3.0 Type A-B Male-Male 2m Blue

This single-pack cable connects a host USB-A port to a peripheral USB-B port with straight, male-to-male connectors. The nickel-plated contacts and robust jacket help maintain signal integrity and extend service life in everyday IT environments. It supports standard USB power delivery up to 4.5 W (5 V, 0.9 A) and is not reversible, so align connectors to the ports when installing.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-B
Connector 2 gender	Male
Connector 2 form factor	Straight

USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------