



Prokord USB-0056

Data sheet

Core Specs

Cable length	3 m
Connector 1	USB-A
Connector 2	Micro USB-B
Product colour	Blue
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	4.5 W

Summary

- ✓ USB 3.2 Gen 1 transfers at up to 5 Gbit/s for fast backups
- ✓ 3m length gives flexible device placement and cable routing
- ✓ LSZH jacket reduces smoke and halogen risks in shared spaces
- ✓ Nickel-plated contacts and straight connectors resist wear
- ✓ Supports device charging up to 4.5W for low-power accessories

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-Micro B Male-Male 3m Blue offers reliable high-speed data transfer and basic charging between USB-A hosts and Micro-USB B devices. The 3 m length gives flexible placement, and the low smoke zero halogen jacket improves safety in shared or enclosed spaces. Straight, nickel-plated connectors resist wear for frequent reconnections.

Prokord Cable USB 3.0 Type A-Micro B Male-Male 3m Blue in short:

- USB 3.2 Gen 1 performance, up to 5 Gbit/s, ideal for syncing large files and using external drives.
- 3 m round cable with LSZH jacket for flexible routing and lower smoke emission in case of fire.
- Straight male USB-A to Micro USB-B connectors fit cameras, portable drives, printers, and legacy mobile devices.
- Nickel-plated contacts reduce corrosion and help maintain consistent connections.
- Consideration: charging is limited to 5 V, 0.9 A (4.5 W), so it is not suitable for fast-charging high-power devices.

Product details

This cable connects USB-A hosts to Micro-USB B peripherals for data transfer, backups, and low-power charging. It supports USB 3.2 Gen 1 speeds up to 5 Gbit/s, which helps when moving large media files or working with external storage. The round construction and LSZH jacket keep the cable flexible and safer for use in offices and public areas, while nickel-plated contacts help ensure long-term reliability.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Maximum data transfer rate	5 Gbit/s
Max data transfer rate	5000 Mbit/s
Cable length	3 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	Micro USB-B
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	Yes

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------