



Prokord USB-0060

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	USB-A
Connector 2	USB-A
Product colour	Blue
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	4.5 W

Summary

- ✓ Fast 5 Gbps USB 3.2 Gen 1 transfers save time when moving large files
- ✓ Compact 0.5m length reduces clutter, ideal for tight workspaces
- ✓ LSZH jacket improves safety in offices and public environments
- ✓ Nickel-plated contacts and shielding maintain reliable signal
- ✓ Supports Power Delivery up to 4.5W for low-power devices

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-A Male-Male 0.5m Blue provides fast, reliable short-range data connections. The 0.5 m low smoke zero halogen jacket reduces cable clutter and improves safety in enclosed spaces. Straight male USB-A connectors and nickel-plated contacts deliver dependable links for external drives, printers, and test equipment.

Prokord Cable USB 3.0 Type A-A Male-Male 0.5m Blue in short:

- Compact 0.5 m length, ideal for tidy workstation setups and close-range connections.
- Supports USB 3.2 Gen 1 speeds up to 5 Gbit/s for quick file transfers and backups.
- LSZH round jacket reduces smoke and halogen, suitable for offices and equipment rooms with safety requirements.
- Straight male USB-A connectors with nickel-plated contacts and shielding for durable, low-interference connections.
- Note: The short length and modest power delivery (4.5 W) mean this cable is intended mainly for data transfer rather than high-power charging.

Product details

Prokord Cable USB 3.0 Type A-A Male-Male 0.5m Blue links USB-A ports for direct device-to-device transfers and peripheral connections. It supports USB Power Delivery for low-power accessories and maintains consistent transfer rates for file sync, imaging, and troubleshooting tasks. The nickel-plated contacts and shielding help reduce interference, and you receive one cable per pack.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Max data transfer rate	5000 Mbit/s
Cable length	0.5 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-A
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	Yes
USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating
Reversible connectors	No

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------