



Prokord USB-0061

Data sheet

Core Specs

Cable length	0.5 m
Connector 1	USB-A
Connector 2	USB-C
Product colour	Black
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	4.5 W

Summary

- ✓ 10Gbit/s USB 3.2 Gen 1 speeds for fast file transfers
- ✓ 0.5m length keeps desks tidy and reduces cable clutter
- ✓ LSZH jacket improves safety and resists wear in office spaces
- ✓ Supports DisplayPort Alt Mode for video with compatible devices
- ✓ Nickel plated contacts and straight plugs for reliable connections

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-C Male-Male 0.5m Black delivers fast, reliable connections in compact setups. It combines USB 3.2 Gen 1 performance with a short 0.5 m length and an LSZH jacket for safer, durable routing. The cable is suited for tidy workspaces where dependable data transfer and low-profile cabling matter.

Prokord Cable USB 3.0 Type A-C Male-Male 0.5m Black in short:

- Connects USB-A peripherals to USB-C devices, ideal for docking stations and adapters.
- USB 3.2 Gen 1 performance with up to 10 Gbit/s data transfer for quick file moves.
- USB-C connector supports DisplayPort Alternate Mode on compatible sources, enabling video output.
- Low smoke zero halogen (LSZH) jacket and nickel-plated contacts for safer, reliable use.
- Short 0.5 m length is great for tidy desks, but not for long cable runs; low-power charging only.

Product details

The Prokord Cable USB 3.0 Type A-C Male-Male 0.5m Black is a practical accessory for connecting legacy USB-A equipment to newer USB-C ports. It uses USB 3.2 Gen 1 to give you high-speed transfers while the round cable and straight connectors keep routing simple. The LSZH jacket reduces smoke and toxic gases in case of fire, which is useful for office and public environments. Nickel-plated connector contacts improve contact reliability and reduce corrosion. Power delivery is limited, so the cable is intended primarily for data and low-power charging in close-range setups.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Maximum data transfer rate	10 Gbit/s
Max data transfer rate	10000 Mbit/s
Cable length	0.5 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-C
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery up to	4.5 W
Product colour	Black
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
USB Type-C DisplayPort Alternate Mode	Yes

Weight & dimensions

Length	500 mm
--------	---------------

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------