



Prokord USB-0066

Data sheet

Core Specs

Cable length	2 m
Connector 1	USB-A
Connector 2	USB-A
Product colour	Blue
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
USB Power Delivery up to	4.5 W

Summary

- ✓ 5 Gbit/s USB 3.2 Gen 1 speed for fast file transfers
- ✓ 2m length gives flexible reach for desktops and media setups
- ✓ LSZH jacket reduces smoke and toxic fumes for safer indoor use
- ✓ Nickel-plated contacts and shielding improve signal stability
- ✓ Supports USB Power Delivery up to 4.5W for low power devices

Product description

Why choose this cable?

Prokord Cable USB 3.0 Type A-A Male-Male 2m Blue gives you fast, reliable connections for everyday data transfer. It combines USB 3.2 Gen 1 performance with a low-smoke zero halogen jacket for safer indoor installations, while the 2-metre length and straight male USB-A ends make it easy to route between devices without clutter.

Prokord Cable USB 3.0 Type A-A Male-Male 2m Blue in short:

- Up to 5 Gbit/s transfer speed, suitable for moving large files and backing up external drives
- LSZH jacket reduces smoke and harmful gases, useful for office and light industrial cabling
- 2 m round design and straight USB-A connectors for flexible, tidy workstation setups
- Nickel-plated contacts and shielding for stable connections and reduced interference
- Not suitable for high-power charging, best for data and low-power device use

Prokord Cable USB 3.0 Type A-A Male-Male 2m Blue

This cable links USB-A devices such as external hard drives, hubs, printers, and media players to PCs or docking stations. You get USB 3.2 Gen 1 speeds for faster transfers and responsive file access. The round LSZH jacket and nickel-plated connectors help maintain signal quality and fit neatly into office or home setups. The cable is sold as a single unit and provides modest USB Power Delivery for low-power accessories, so consider a dedicated charging cable for high-power devices.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Maximum data transfer rate	5 Gbit/s
Max data transfer rate	5000 Mbit/s
Cable length	2 m
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-A
Connector 2 gender	Male

Connector 2 form factor	Straight
USB Power Delivery	Yes
USB Power Delivery up to	4.5 W
Product colour	Blue
Cable type	Round cable
Cable jacket material	Low smoke zero halogen (LSZH)
Connector contacts plating	Nickel plating
Cable shielding	Nickel plating
Reversible connectors	No
USB Type-C DisplayPort Alternate Mode	Yes

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------