



USB-CUSB-C

Data sheet

Core Specs

Host interface

USB-C

Summary

- ✓ Provides a VGA output to connect older projectors and monitors during presentations or in shared m...
- ✓ Built-in Gigabit Ethernet (RJ-45) gives stable wired network access at 10, 100, and 1000 Mbit/s.
- ✓ USB 3.2 Gen 1 Type-A and Type-C ports let you connect external drives and peripherals with fast ...
- ✓ Check that your computer's USB-C port supports video output (DisplayPort Alt Mode) if you need V...
- ✓ Compact white housing, sold as a single unit, fits easily in a laptop bag.

Product description

Why choose this USB-C docking adapter?

Prokord USB-C docking adapter offers a compact way to expand a USB-C laptop or tablet with VGA video, Gigabit Ethernet, and USB-A and USB-C connections. It simplifies connecting legacy projectors, wired networks, and external drives without bulky equipment. The white, pocket-sized design keeps your workspace tidy and suits hotdesking, meeting rooms, and mobile work.

Prokord USB-C docking adapter in short:

- Provides a VGA output to connect older projectors and monitors during presentations or in shared meeting spaces.
- Built-in Gigabit Ethernet (RJ-45) gives stable wired network access at 10, 100, and 1000 Mbit/s.
- USB 3.2 Gen 1 Type-A and Type-C ports let you connect external drives and peripherals with fast data transfer.
- Check that your computer’s USB-C port supports video output (DisplayPort Alt Mode) if you need VGA display.
- Compact white housing, sold as a single unit, fits easily in a laptop bag.

Prokord USB-C docking adapter

The adapter connects to your computer via an integrated USB-C cable and provides VGA, Ethernet, and USB ports in one lightweight accessory. Use it to attach legacy displays, maintain a reliable wired network connection, and plug in external storage or peripherals without carrying a larger docking station. Its simple form factor makes it practical for travel, meeting rooms, and flexible workspaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Ports & interfaces

Connectivity technology	Docking
Host interface	USB-C
VGA (D-Sub) ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1

Performance

Product colour	White
----------------	-------

Card reader integrated	No
Brand compatibility	Universal

Network

Ethernet LAN (RJ-45) ports	1
Ethernet LAN	Yes
Ethernet LAN data rates	10, 100, 1000 Mbit/s

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	-----------------

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------