



USB-C-USB-C

Data sheet

Core Specs

Host interface	USB-C
HDMI ports quantity	1

Summary

- ✓ Adds one HDMI 1.3 output, one USB-A 3.2 Gen 1 port, and one USB-C 3.2 Gen 1 port to a USB-C ...
- ✓ Useful for connecting an external monitor, a USB drive, keyboard, or mouse while working from diff...
- ✓ Universal compatibility with USB-C devices makes it suitable for mixed laptop fleets.
- ✓ Compact white design that reduces cable clutter and is easy to carry.
- ✓ Note: this adapter does not include an Ethernet LAN port, so choose a separate adapter if you ne...

Product description

Why choose this USB-C adapter?

Prokord USB-C Adapter is a compact docking accessory that expands a USB-C host with an HDMI output and two USB data ports. It lets you connect an external display and common peripherals without adding bulk. The white housing keeps your workspace tidy and makes the adapter suitable for meeting rooms, hot desks, and mobile setups.

Prokord USB-C Adapter in short:

- Adds one HDMI 1.3 output, one USB-A 3.2 Gen 1 port, and one USB-C 3.2 Gen 1 port to a USB-C host.
- Useful for connecting an external monitor, a USB drive, keyboard, or mouse while working from different locations.
- Universal compatibility with USB-C devices makes it suitable for mixed laptop fleets.
- Compact white design that reduces cable clutter and is easy to carry.
- Note: this adapter does not include an Ethernet LAN port, so choose a separate adapter if you need wired network access.

Product details

The Prokord USB-C Adapter connects directly to a device's USB-C host interface and provides straightforward access to an HDMI display and USB peripherals. The HDMI 1.3 port lets you attach an external monitor, while the USB-A and USB-C data ports handle storage devices and input peripherals. Supplied as a single white unit, the adapter is designed for quick set-ups and portability without adding unnecessary complexity.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Ports & interfaces

Connectivity technology	Docking
Host interface	USB-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
HDMI ports quantity	1
HDMI version	1.3
Microphone in	No

Performance

Product colour	White
Card reader integrated	No
Brand compatibility	Universal

Network

Ethernet LAN	No
--------------	----

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------