




Prokord UTP-0003

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ 0.3m length reduces cable clutter, ideal for patch panels and racks
- ✓ Cat6 UTP delivers up to 10 Gbit/s at 250 MHz for fast network links
- ✓ LSZH jacket limits toxic smoke, suitable for offices and comms rooms
- ✓ PoE compatible, power devices without extra power cabling
- ✓ 26 AWG copper conductors and molded RJ45 plugs ensure stable links

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded LSZH RJ45 0.3m Green provides a short, colour-coded Ethernet link that keeps switch and patch-panel areas tidy. Its Cat 6 design supports multi-gigabit data rates and Power over Ethernet, while the low smoke zero halogen jacket reduces harmful fumes in confined spaces. The short length reduces cable clutter and helps maintain rack airflow.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.3m Green in short:

- Cat 6 unshielded UTP patch cable for short links between switches, patch panels, and network devices.
- 0.3 m length keeps cabling neat in racks, cabinets, and wall-mounted enclosures.
- Low smoke zero halogen jacket, suitable for enclosed or public areas where reduced toxic emissions are preferred.
- Supports up to 10,000 Mbit/s at 250 MHz and Power over Ethernet for cameras, access points, and VoIP phones.
- Unshielded design reduces cost and weight, consider shielded cable if installing near strong electromagnetic interference.

Product details

This Prokord cable uses RJ-45 male connectors on both ends for simple plug-and-play connections. 26 AWG copper conductors deliver consistent signal quality for short patch links, and molded strain-relief boots protect the connectors from wear. Supplied as a single unit, it is intended for organised rack and cabinet installations where short, reliable Ethernet connections are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Power over Ethernet (PoE)	Yes
Frequency	250 MHz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------