



Prokord UTP-0009

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	0.5 m
Jacket material	LSZH

Summary

- ✓ Cat6 performance, up to 10Gbps at 250MHz for fast, reliable networks
- ✓ 0.5m length keeps connections tidy in racks, closets and patch panels
- ✓ LSZH jacket lowers toxic fumes, suitable for offices and data rooms
- ✓ 26AWG copper UTP with RJ45 plugs delivers flexible, dependable links
- ✓ PoE compatible, carries power and data to devices over one cable

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.5m Blue gives you a compact, high-speed patch connection for nearby devices and rack-mounted equipment. The LSZH jacket limits smoke and halogen emissions in confined spaces, while Cat 6 performance and PoE support keep links reliable for fast LAN and powered devices.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.5m Blue in short:

- Short 0.5 m length, ideal for tidy switch-to-device or patch-panel connections.
- Cat 6 performance at 250 MHz, suitable for high-speed local links up to 10,000 Mbit/s.
- LSZH jacket reduces toxic smoke in enclosed or public spaces.
- U/UTP unshielded design for standard office and data-centre environments without strong electromagnetic interference.
- Blue colour and single-piece pack for easy identification and straightforward deployment.

Product details

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.5m Blue uses 26 AWG copper conductors with male RJ-45 connectors on both ends for plug-and-play compatibility with switches, routers, patch panels, IP phones and access points. The unshielded construction keeps the cable flexible and easy to route. Use this cable where short, reliable connections and low-smoke materials are preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------