



Prokord UTP-0016

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	0.5 m
Jacket material	LSZH

Summary

- ✓ Cat6 cable supports up to 10,000Mbit/s and 250MHz for fast links
- ✓ 0.5m patch length keeps racks neat and reduces cable clutter
- ✓ LSZH jacket reduces smoke and toxic gases, ideal for dense spaces
- ✓ UTP design with 26 AWG copper conductors delivers reliable connectivity
- ✓ Bright yellow makes ports easy to identify, PoE compatible for devices

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.5m Yellow keeps short links neat while providing reliable high-speed connectivity. It supports high data rates and PoE, so you can power devices without extra wiring. The LSZH jacket reduces smoke and toxic gases in enclosed spaces, and the yellow color makes identification and cable management straightforward.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 0.5m Yellow in short:

- Cat 6 patch cable for short connections such as switch-to-patch panel or patch panel-to-device.
- Supports up to 10000 Mbit/s and 250 MHz, suitable for demanding LAN traffic and PoE devices.
- LSZH jacket for reduced smoke and halogen-free safety in data closets and public buildings.
- RJ-45 male connectors with copper conductors and 26 AWG for consistent signal contact.
- Note: 0.5 m length is ideal for tidy rack connections; choose a longer cable if you need more reach.

Product details

This half-metre Prokord Cat 6 cable is a compact patch cord for short, reliable network links. It connects standard RJ-45 ports and supports Power over Ethernet, making it practical for IP phones, access points, cameras, and short switch connections. The unshielded design fits typical structured cabling environments, while the yellow LSZH jacket helps you keep installations organized and safer in confined spaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------