



Prokord UTP-0019

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Cat6 performance supports up to 10 Gbit/s at 250 MHz
- ✓ Unshielded UTP keeps installation simple for office and rack links
- ✓ LSZH jacket limits smoke and toxic gases for safer environments
- ✓ 26 AWG copper cores deliver dependable connectivity and PoE power
- ✓ 1.5 m with moulded RJ45 plugs fits patch panels and network devices

Product description

Why choose this cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Blue delivers reliable wired connectivity with support for high data rates and Power over Ethernet. The Cat 6 construction and copper conductors ensure consistent performance for local network links. The LSZH jacket reduces smoke and toxic gases in confined spaces, while the 1.5 m length and blue colour help keep installations tidy and easy to identify.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Blue in short:

- Cat 6 U/UTP cable for stable Ethernet links between switches, routers, patch panels, and end devices.
- Supports up to 10000 Mbit/s and operates at 250 MHz, suitable for high-throughput and PoE use.
- LSZH jacket reduces harmful emissions in enclosed or public areas, blue colour aids cable management.
- RJ-45 male-to-male connectors with copper 26 AWG conductors, 1.5 m length, sold as a single piece.
- Consideration: unshielded design is appropriate for typical office environments; choose shielded cable if electromagnetic interference is a concern.

Product details

This cable connects standard RJ-45 ports to carry data and deliver PoE to devices such as IP phones, access points, and switches. The copper conductors and Cat 6 specification support consistent throughput, while the compact 1.5 m length is useful for tidy desk, rack, and patch panel connections. The LSZH jacket makes the cable suitable for installations where low smoke and low halogen emissions are preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------