



Prokord UTP-0018

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Cat 6 performance enables short distance 10 Gbit/s links
- ✓ UTP design suits typical office and cabinet installations
- ✓ LSZH jacket reduces smoke and halogen in confined spaces
- ✓ Supports PoE to power cameras, phones and access points
- ✓ 1.5m length avoids cable clutter for rack and desk patching

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Black gives you a compact, reliable link for short network runs. It delivers high data throughput and supports Power over Ethernet, while the low-smoke zero-halogen jacket reduces toxic fumes in confined spaces. Use it when you need a neat, dependable connection between switches, access points, IP phones, or workstations.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Black in short:

- Cat 6 performance for high-speed local connections and short-distance 10 Gbit/s links.
- U/UTP unshielded design, suitable for typical office or data-cabinet environments.
- LSZH jacket for installations where reduced smoke and halogen emissions are required.
- Supports Power over Ethernet, ideal for access points, IP phones, and cameras.
- 1.5 m length makes it practical for patching between rack equipment and nearby devices, but note the unshielded design may not suit high-interference industrial sites.

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Black

This cable uses copper 26 AWG conductors and standard RJ-45 male connectors at both ends, so you can plug it directly into switches, routers, and network ports. It is built to work with Cat 6 infrastructure at up to 250 MHz, providing stable throughput for typical office applications and short 10 Gbit/s links. The molded connector boots and clear plugs provide secure mating and visible contacts, while the single-pack format lets you add or replace one short link without excess cable slack.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------