

Prokord UTP-0021

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1.5 m
Jacket material	LSZH

Summary

- ✓ Cat6 design delivers stable connections up to 250 MHz, 10 Gbit/s
- ✓ Supports Power over Ethernet, power devices without extra cables
- ✓ LSZH jacket reduces smoke and halogen in enclosed spaces
- ✓ 26 AWG copper conductors keep signals clean and cable flexible
- ✓ 1.5 m length keeps patching neat in racks and at desks

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Grey gives you a dependable short-range link for switches, patch panels, and PoE devices. The Cat6 U/UTP design supports up to 250 MHz and data rates to 10 Gbit/s over short runs, while the LSZH jacket reduces smoke and halogen emissions in enclosed spaces. Its 1.5 m length and flexible copper conductors keep rack and desk connections neat and manageable.

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1.5m Grey in short:

- Compact 1.5 m Cat6 patch cable for tidy short connections between switches, panels and endpoints
- Supports Power over Ethernet, suitable for access points and security cameras
- Low smoke zero halogen jacket limits toxic emissions in confined areas
- 26 AWG copper conductors and male RJ-45 connectors for consistent signal and easy plugging
- Consideration: unshielded design is not ideal for high-interference environments and the 1.5 m length may be too short for long runs

Product details

This slim patch lead is made for short indoor runs where safety and a discreet appearance matter. The RJ-45 to RJ-45 connectors plug into standard ports without tools, and the cable delivers stable throughput for file transfers, VoIP, and video streams when used within Cat6 distance recommendations. The LSZH jacket makes it suitable for offices, data rooms, and other enclosed spaces where reduced smoke and halogen emissions are important.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1.5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------