



Prokord UTP-0029

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Cat 6 UTP supports 10 Gbit/s performance at 250 MHz.
- ✓ 10m length gives flexible reach for desks and patch panels.
- ✓ LSZH jacket limits smoke and halogen for safer enclosed spaces.
- ✓ 26 AWG copper conductors deliver reliable data and PoE power.
- ✓ RJ45 male connectors provide standard Ethernet connectivity.

Product description

Why choose this ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Black gives reliable, high-speed connectivity for office and network installations. It supports high data rates and Power over Ethernet, while the low smoke zero halogen jacket improves safety in confined spaces. The 10 metre length and RJ-45 terminations make it simple to deploy between switches, patch panels, and desktop devices.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Black in short:

- Cat 6 U/UTP cable, designed for high-speed LANs and demanding network traffic.
- Supports data transfer rates up to 10 Gbit/s and 250 MHz bandwidth for fast file transfers and streaming.
- 10 m length suits patching between racks, wall outlets, and workstations.
- LSZH jacket reduces smoke and toxic emissions, useful for installations in public or enclosed areas.
- Unshielded design is ideal for typical office environments; consider shielded cable if you expect heavy electromagnetic interference.

Product details

This Prokord cable uses copper conductors and standard RJ-45 male connectors for plug-and-play installation. It supports Power over Ethernet so you can power devices like IP phones, cameras, and access points without separate power lines. The black LSZH jacket keeps a tidy appearance and adds a safety benefit where low smoke materials are required. Each pack contains one cable, ready for immediate use.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------