

Prokord UTP-0031

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP cable delivers up to 10 Gbps performance at 250MHz
- ✓ LSZH jacket limits smoke and halogen, safer for enclosed spaces
- ✓ 10 m length provides flexible routing across racks and desks
- ✓ Supports PoE, 26 AWG copper conductors keep power and data steady
- ✓ RJ45 male to male connectors fit standard network ports

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded LSZH RJ45 10m Green gives dependable network connectivity with a safe, low-smoke jacket and built-in PoE support. It helps simplify installations, reduce clutter by carrying data and power, and makes cable runs easy to identify thanks to the green jacket. The 10 metre length suits common desk-to-switch and patch panel connections.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Green in short:

- Cat 6 U/UTP cable for high-speed Ethernet links, rated for up to 10000 Mbit/s and 250 MHz.
- 10 m length is convenient for desk, wall outlet, and small rack connections.
- LSZH jacket reduces toxic fumes in the event of fire, suitable for offices and public buildings.
- Supports Power over Ethernet, so you can power devices like IP phones and cameras without extra cabling.
- Note the cable is unshielded, so consider a shielded alternative for high-interference industrial environments.

Product details

The Prokord cable uses RJ45 male connectors on both ends for straightforward patching between switches, routers, patch panels, and endpoints. Copper 26 AWG conductors provide the electrical performance expected for Cat 6 installations. The green jacket helps with visual cable management in structured cabling setups. The product is supplied as a single 10 metre unit, ready to deploy in office and campus networks.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------