



Prokord UTP-0035

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	10 m
Jacket material	LSZH

Summary

- ✓ 10m Cat 6 patch cable for linking switches, patch panels and endpoints
- ✓ RJ45 male-to-male connectors for quick plug-and-play installation
- ✓ Supports up to 10 Gbps and 250MHz for demanding network traffic
- ✓ LSZH jacket limits smoke and halogen, safer for enclosed spaces
- ✓ PoE compatible with 26 AWG copper conductors to power edge devices

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Red delivers reliable, high-speed links for office and data centre cabling. It supports 10000Mbit/s at 250MHz, uses an LSZH jacket to reduce smoke and halogen in enclosed spaces, and the red colour makes identification and cable management faster during installation and maintenance.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Red in short:

- 10 metre Cat 6 patch cable with RJ-45 male-to-male connectors, made for linking switches, patch panels, and endpoints.
- Supports high-speed networks up to 10000Mbit/s and 250MHz, suitable for demanding Ethernet traffic.
- Low smoke zero halogen jacket reduces toxic fumes and aids compliance in confined or public installations.
- PoE compatible with 26 AWG copper conductors, so you can power access points, VoIP phones, and similar devices over the cable.
- Note the cable is unshielded (UTP); choose shielded cable if you expect strong electromagnetic interference in the installation area.

Product details

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 10m Red is a straightforward, plug-and-play Cat 6 accessory for your network infrastructure. Its copper conductors maintain signal integrity for both data and PoE delivery while the red LSZH jacket helps with cable tracing and safety requirements where reduced smoke and halogen-free materials are needed.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	10 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------