

Prokord UTP-0039

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ 10Gbps data rate, supports demanding network and file transfers
- ✓ Cat6 UTP construction, performs across a 250MHz frequency range
- ✓ LSZH jacket reduces smoke and toxic gas, safer for enclosed spaces
- ✓ PoE compatible, powers access points, cameras and VoIP phones
- ✓ 15m length with 26 AWG copper and RJ45 plugs for flexible installs

Product description

Why choose this ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded LSZH RJ45 15m Blue offers a dependable way to extend and organise your network with predictable performance. It combines Cat6 class transmission and a low-smoke, zero-halogen jacket for safer indoor installations, while remaining flexible enough for patching between switches, wall ports, and networked devices.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 15m Blue in short:

- 15 metre Cat6 patch cable, ideal for connecting switches, routers, patch panels and wall sockets.
- LSZH jacket reduces smoke and toxic gas in enclosed spaces, suitable for offices and data rooms.
- Supports Power over Ethernet, so it can power VoIP phones, access points and network cameras.
- 26 AWG copper conductors and standard male-to-male RJ45 plugs for consistent signal and easy installation.
- Note: this is an unshielded U/UTP cable, so consider a shielded cable in high electromagnetic interference environments.

Product details

The TP-Cable UTP CAT.6 Unshielded Lszh RJ45 15m Blue is a ready-to-use Ethernet patch lead for reliable LAN connections. Its Cat6 performance and 250 MHz rating support high-speed data links and multimedia traffic. The LSZH jacket helps meet safety requirements in public and commercial buildings. Simple to deploy, it works with standard RJ45 ports and supports PoE-capable devices.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------