



Prokord UTP-0047

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat 6 UTP cable supports 10 Gbit/s at 250 MHz for fast, reliable links
- ✓ RJ45 male to male connectors ensure plug and play network setup
- ✓ LSZH jacket reduces toxic fumes, enhances on site safety
- ✓ Supports PoE, 26 AWG copper conductors for stable power delivery

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Black provides reliable, short-run connectivity for patching between switches, patch panels and desktop devices. Cat 6 performance and copper conductors support high throughput for modern networks, while the LSZH jacket reduces smoke and toxic gases in confined installations, helping you meet safety requirements in offices and equipment rooms.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Black in short:

- One-metre Cat6 UTP patch cable for short connections between rack, switch or PC.
- RJ-45 male-to-male connectors fit standard Ethernet ports for immediate use.
- 26 AWG copper conductors provide stable transmission, supporting 10000 Mbit/s and 250 MHz.
- LSZH jacket minimises hazardous smoke, suitable for installations in enclosed or public areas.
- Consider cable length when planning, 1 m is intended for patching rather than long horizontal runs.

Product details

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Black is designed for routine network patching and device connections. The unshielded U/UTP construction is appropriate where electromagnetic interference is low and standard copper cabling is acceptable. Built-in support for Power over Ethernet lets you power compatible devices without separate power wiring. The black LSZH jacket keeps the cable discreet while meeting safety needs for public and confined spaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------