



Prokord UTP-0046

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	15 m
Jacket material	LSZH

Summary

- ✓ 10 Gbps Cat6 performance at 250MHz for high bandwidth links
- ✓ LSZH jacket reduces toxic fumes, ideal for office and comms rooms
- ✓ PoE compatible to power cameras and access points without extra cabling
- ✓ 26 AWG copper and molded boots deliver stable, flexible connections
- ✓ 15m length and bright yellow jacket simplify routing and ID

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 15m Yellow helps you keep wired connections reliable and easy to manage. The Cat 6 UTP design supports high-speed data transfers and Power over Ethernet devices. The LSZH jacket reduces smoke and halogen in confined spaces. The 15 m length and yellow colour make it practical for patching between racks and for visible cable identification.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 15m Yellow in short:

- Supports up to 10000 Mbit/s at 250 MHz, suitable for high-throughput LAN links.
- Low smoke zero halogen (LSZH) jacket for safer use in offices, comms rooms, and public areas.
- 26 AWG copper conductors with RJ-45 male connectors for reliable connections to switches, patch panels, and endpoints.
- PoE compatible, so it can deliver power to devices like access points and VoIP phones.
- Consider cable length and colour coding when planning installations; the yellow jacket improves visibility and organisation.

Product details

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 15m Yellow is a straightforward Cat6 patch cable for connecting network equipment over mid-range runs. It uses unshielded twisted pairs and copper conductors to maintain signal integrity while remaining compatible with standard RJ-45 ports. The LSZH jacket adds a safety benefit in enclosed spaces, and the visible yellow jacket helps you keep runs organised. The cable is supplied as a single unit ready for immediate deployment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	15 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------