



Prokord UTP-0052

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6 rated for up to 10 Gbit/s and 250 MHz, supports high throughput
- ✓ RJ45 male connectors, plug and play for switches, supports PoE
- ✓ LSZH jacket limits smoke and toxic gas, safer for offices and racks
- ✓ 26 AWG copper conductors with UTP design, reliable everyday links
- ✓ 1m purple cable for neat short runs, easy ID in racks

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Purple gives you a short, reliable patch connection that keeps your rack and desk wiring tidy. It delivers Cat6 performance for high-speed links, uses an LSZH jacket for safer installation in enclosed spaces, and the purple colour makes identification simple during moves and maintenance.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Purple in short:

- Cat 6 U/UTP design for dependable fast Ethernet and short 10 Gbit/s links in local networks.
- 1 m length, ideal for patching between switches, patch panels, and desk connections.
- Low smoke zero halogen jacket, suitable for data centres, offices, and other confined environments.
- Supports Power over Ethernet, so you can power IP phones and access points without separate power cables.
- 26 AWG copper conductors with standard RJ45 male plugs, sold as a single cable.

Product details

This Prokord cable is a straightforward accessory for structured cabling and equipment patching. The Cat 6 rating and 250 MHz frequency support modern network speeds and reduce crosstalk on short runs. The LSZH jacket lowers smoke and toxic gas in the event of fire, which helps meet safety requirements in shared or enclosed spaces. You get a single, ready-to-use RJ45 patch cable that simplifies device connections and cable management.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Purple
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------