



Prokord UTP-0053

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ 1 m length keeps switch-to-desk runs neat and clutter free
- ✓ Cat 6 bandwidth supports up to 10 Gbit/s at short distances
- ✓ LSZH jacket reduces smoke and corrosive gases in confined spaces
- ✓ PoE compatible to power IP phones, cameras and access points
- ✓ Unshielded UTP with 26 AWG copper conductors for reliable links

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Red provides a one-metre Cat 6 patch cable for reliable wired connections to switches, patch panels, and desktop devices. It balances performance and safety with a low smoke zero halogen jacket, clear RJ45 terminations, and Power over Ethernet support to simplify device installation and cable management.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Red in short:

- Compact 1 m length for tidy switch-to-desk and patch panel connections.
- Cat 6 performance, suitable for high-speed LANs and up to 10 Gbit/s at short distances.
- LSZH jacket reduces smoke and corrosive gases in confined installations.
- PoE compatible, so you can power devices such as IP phones and cameras.
- Red colour helps with cable identification and structured cabling.

Product details

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Red uses male RJ45 connectors on both ends for quick, tool-free connections. The unshielded UTP design fits standard office and data closet environments where electromagnetic interference is low. Copper conductors with 26 AWG wiring deliver steady signal transfer, while the red LSZH jacket makes runs easy to identify and manage during installation and maintenance.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------