



Prokord UTP-0055

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6 performance up to 10Gbps and 250MHz for stable network links
- ✓ LSZH jacket reduces toxic fumes, improving safety in enclosed spaces
- ✓ UTP design with 26 AWG copper conductor offers flexible routing
- ✓ 1m length and yellow colour simplify patching and visual ID
- ✓ Supports PoE, so powered devices need fewer cables and outlets

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Yellow gives you a compact, visible patch lead for short, high-speed connections. It supports high data rates and Power over Ethernet, while the low smoke zero halogen jacket makes it suitable for enclosed or public spaces where safety and easy identification matter.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 1m Yellow in short:

- 1 m yellow Cat 6 patch cable, ideal for switch-to-server or patch panel connections in racks and workstations.
- LSZH jacket reduces smoke and corrosive gases in case of fire, useful for confined areas and public buildings.
- Supports up to 10 Gbit/s and PoE, suitable for access points, IP phones, and cameras.
- Unshielded UTP design with 26 AWG copper conductors, designed for standard office and data center environments.
- Sold as a single unit, bright color helps with cable management and quick troubleshooting.

Product details

This Prokord cable has male RJ-45 connectors on both ends, clear modular plugs and molded strain-relief boots for reliable contact and easier handling. The unshielded Cat 6 construction and 250 MHz bandwidth make it a practical choice for short runs where high throughput and PoE compatibility are needed.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------