



Prokord UTP-0058

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP performance delivers up to 10 Gb/s at 250 MHz for multi-gig links
- ✓ Supports Power over Ethernet to power IP phones, access points and cameras
- ✓ LSZH jacket reduces smoke and halogen for safer indoor or public buildings
- ✓ 20 m green cable with male RJ45 ends simplifies routing and visual ID
- ✓ 26 AWG copper conductors provide stable connections for typical office runs

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 20m Green gives you a dependable wired link for office and IT installations. It supports Power over Ethernet for powered devices, delivers Cat 6 performance up to 10 000 Mbit/s and 250 MHz, and the low smoke zero halogen jacket reduces harmful emissions in enclosed spaces.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 20m Green in short:

- Cat 6 U/UTP cable for high-speed data and multi-gig connections over common office runs.
- LSZH jacket for safer installation in confined or public buildings.
- Supports PoE, suitable for powering IP phones, access points and cameras without extra power cables.
- 20 m length and green colour help with cable routing and visual identification.
- Unshielded construction, consider shielded cable for environments with strong electromagnetic interference.

Usage

This 20 m patch cable uses 26 AWG copper conductors and male RJ45 connectors at both ends for straightforward connections between switches, wall ports and network devices. The connectors feature flexible strain-relief boots and clear plug housings for reliable handling and easy inspection. It is intended for typical office and rack-to-desk runs where Cat 6 performance and PoE support are required, and the green LSZH jacket helps with identification while reducing smoke and halogen in case of fire.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------