



Prokord UTP-0060

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	20 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP supports 10 Gbit/s at 250 MHz for fast network links
- ✓ 20m length gives flexible placement between switches and devices
- ✓ LSZH jacket reduces smoke and halogen, safer for shared spaces
- ✓ Pre-terminated RJ45 plugs, PoE compatible for quick deployment
- ✓ Orange colour and 26 AWG copper conductors simplify ID

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 20m Orange is a 20 metre Cat6 patch cable that balances performance and safety for office and public-space installations. The LSZH jacket lowers smoke and corrosive gas in case of fire, while copper conductors and Cat6 design support high-speed links and Power over Ethernet for switches, access points and VoIP devices.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 20m Orange in short:

- Supports up to 10000 Mbit/s at 250 MHz, suitable for high-bandwidth connections and multimedia streaming.
- Low smoke zero halogen (lszh) jacket improves safety in enclosed or public areas.
- U/UTP unshielded construction with 26 AWG copper conductors, good for standard patching and structured cabling.
- Male RJ-45 to RJ-45 connectors, 20 m length and orange colour for easy identification.
- Consideration: unshielded cables can be more susceptible to electromagnetic interference, so choose shielded cable in high-EMI environments.

Product details

The Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 20m Orange provides straightforward connectivity between network devices with reliable copper conductors and standard RJ45 plugs at both ends. At 20 metres it covers typical runs from racks to wall outlets while supporting Power over Ethernet so you can power compatible devices without separate power lines. The orange LSZH jacket helps with cable management and enhances safety where low-smoke materials are required.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	20 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Orange

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------