



Prokord UTP-0063

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	25 m
Jacket material	LSZH

Summary

- ✓ Supports 10 Gbit/s data transfers at 250MHz for fast network links
- ✓ PoE ready, supplies power to phones, cameras and access points
- ✓ LSZH jacket limits smoke and halogens, safer for confined spaces
- ✓ RJ45 to RJ45 with 26 AWG copper conductors for reliable connections
- ✓ 25 m length provides flexible reach for racks and workstations

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 25m Grey provides reliable Ethernet connectivity for office networks, server racks, and structured cabling installations. The low smoke zero halogen jacket lowers fire-related exposure in confined spaces, while Cat 6 design and copper conductors support fast data transfer and PoE, reducing the need for extra power cabling.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 25m Grey in short:

- 25 m RJ45 patch cable for linking switches, patch panels, wall outlets, and network devices.
- Cat 6 performance, suitable for data rates up to 10 Gbit/s and typical LAN backbones.
- LSZH jacket reduces smoke and toxic gases, appropriate for server rooms and public buildings.
- Supports Power over Ethernet, so cameras and access points can run without separate power lines.
- Note: Unshielded U/UTP design is best for standard office environments, not locations with high electromagnetic interference.

Product details

This Prokord cable lets you extend network runs cleanly and reliably. The RJ-45 male connectors on both ends make it easy to plug into switches, routers, and endpoints. Copper 26 AWG conductors keep signal loss low over the 25 metre length, and the LSZH jacket adds safety where fire codes or enclosed spaces require low-smoke materials. The unshielded construction fits common cabling setups and supports PoE-powered devices.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	25 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------