



Prokord UTP-0064

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	25 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP cable delivers up to 10 Gbit/s at 250 MHz for fast links
- ✓ 26 AWG copper conductors ensure reliable signal and low loss
- ✓ LSZH jacket limits toxic smoke and suits enclosed spaces
- ✓ Preterminated RJ45 plugs provide plug-and-play setup, PoE ready
- ✓ 25m length in white blends into racks and office runs

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 25m White delivers a reliable, ready-to-use connection for longer runs in offices and campus networks. It supports high data rates and Power over Ethernet, while the low smoke zero halogen jacket reduces hazardous emissions in enclosed spaces. The male-to-male RJ45 connectors make installation quick and simple, keeping cabling tidy and functional.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 25m White in short:

- Ready-made 25 m RJ45 patch cable for connecting switches, access points, and patch panels without custom termination.
- Cat6 U/UTP design supports gigabit networks and short-range 10 Gbit/s links for demanding data traffic.
- Low smoke zero halogen (LSZH) jacket reduces smoke and toxic gases, suitable for offices and public buildings.
- Copper conductors with 26 AWG offer a balance of flexibility and signal quality, and the cable supports PoE to power devices.
- Note: unshielded construction is not recommended for environments with strong electromagnetic interference.

Product details

The Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 25m White is a plug-and-play Ethernet accessory with male RJ45 connectors on both ends. It is intended for standard network runs where a durable, low-emission jacket is required and where shielding is not necessary. Use it to extend wired connections, power PoE devices, and maintain consistent throughput across office and small data center layouts.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	25 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------