



Prokord UTP-0068

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ Cat6 performance supports up to 10 Gbps and 250MHz bandwidth
- ✓ UTP construction with 26 AWG copper delivers stable, low-loss links
- ✓ 2m length gives flexible workstation and patch panel routing
- ✓ LSZH jacket reduces smoke and halogen risk in enclosed spaces
- ✓ RJ45 connectors and PoE support simplify powering network devices

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m Grey is a 2 m Cat 6 Ethernet cable built for reliable short-range connections. It supports high data rates up to 10000 Mbit/s at 250 MHz, carries Power over Ethernet for connected devices, and uses a low smoke zero halogen jacket to reduce harmful fumes in indoor installations.

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m Grey in short:

- 2 m length and grey LSZH jacket, suitable for patching between racks, switches and nearby devices.
- Cat 6 performance for stable gigabit networks and short-distance 10 Gbit/s links.
- Unshielded U/UTP design for standard office and home environments; consider shielded cable if you expect heavy electromagnetic interference.
- Supports Power over Ethernet to power IP phones, wireless access points and cameras.
- Standard male RJ-45 connectors with 26 AWG copper conductors, sold individually.

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m Grey

This cable connects devices with standard RJ-45 ports, such as switches, routers, patch panels and endpoints. The Cat 6 specification and copper conductors help maintain consistent throughput for common network loads. The LSZH jacket lowers smoke and toxic gas output in confined spaces, making the cable suitable for office floors, public buildings and data rooms. The product is supplied as a single unit.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------