



Prokord UTP-0072

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP performance delivers 10Gbps throughput at 250MHz
- ✓ LSZH jacket reduces toxic smoke risk for safer indoor use
- ✓ RJ45 to RJ45 plugs with copper conductors ensure solid connectivity
- ✓ 2m length keeps desks tidy while supporting PoE devices and switches

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m White gives a reliable short-range Ethernet connection for desktops, switches, and patch panels. It supports up to 10,000 Mbit/s at 250 MHz and Power over Ethernet, while the LSZH jacket reduces smoke and toxic gases in enclosed spaces. The 2 m length keeps your workspace tidy and simplifies patching.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 2m White in short:

- Cat 6 U/UTP cable for high-speed links, suitable for desktop-to-switch and patch-panel connections.
- Supports 10,000 Mbit/s at 250 MHz and PoE, so you can power compatible devices over the same cable.
- LSZH (low smoke zero halogen) jacket for safer installation in offices and public buildings.
- 26 AWG copper conductors with male RJ-45 plugs and molded strain relief for dependable plug-and-play use.
- Note: unshielded design is not ideal for environments with high electromagnetic interference.

Product details

This Cat 6 UTP cable uses 26 AWG copper conductors and standard RJ-45 male connectors to deliver stable, short-distance data and power. The molded connectors and clear plugs make repeated connections reliable and easy to inspect. Use the cable for workstation patching, short switch links, and PoE devices where a low-smoke jacket is preferred. It is supplied as a single 2 m unit.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------