




Prokord UTP-0079

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ 3m Cat6 patch cable delivers reliable short range LAN connectivity
- ✓ Supports 10 Gbit/s at 250 MHz for high speed links and PoE devices
- ✓ LSZH jacket reduces smoke and toxic fumes, aids fire safety compliance
- ✓ RJ-45 plug and play ends, ideal for switches, routers and patch panels
- ✓ 26 AWG copper conductors ensure consistent signal quality for devices

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 3m Grey delivers reliable short-range connectivity for office and rack deployments. It supports high data rates and Power over Ethernet, while the LSZH jacket reduces smoke and toxic gases in confined spaces, helping you meet safety requirements and simplify installation.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 3m Grey in short:

- 3 m Cat6 patch cable with RJ-45 male connectors, ideal for connecting switches, routers, patch panels, and desktop devices.
- Supports up to 10000 Mbit/s and 250 MHz for high-speed LAN links and PoE-powered equipment.
- LSZH jacket reduces smoke and hazardous fumes, suitable for offices, public buildings, and enclosed spaces.
- Unshielded UTP design fits standard network environments, consider shielded cable if you expect high electromagnetic interference.
- 26 AWG copper conductors provide consistent signal quality, supplied as a single unit for easy stocking.

Product details

This Prokord cable is a simple plug-and-play solution for short network runs. The Cat6 specification and copper conductors deliver the performance needed for demanding local connections, and the RJ-45 plugs with moulded boots give reliable termination and strain relief. With PoE compatibility and an LSZH jacket it is practical for installations where device power over the network and fire-safety considerations matter. The listed colour is grey, though the jacket may appear very light in some product images.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------