




Prokord UTP-0085

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	50 m
Jacket material	LSZH

Summary

- ✓ Stable 10 Gbit/s performance at 250 MHz supports fast networking
- ✓ Unshielded Cat6 cable ensures reliable links for switches and servers
- ✓ LSZH jacket lowers toxic smoke risk, ideal for offices and comms rooms
- ✓ 26 AWG copper conductors with RJ45 plugs support PoE and stable links

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 50m Grey provides dependable copper Ethernet connectivity for structured cabling in offices and technical rooms. The Cat6 core and 250 MHz rating support high-speed links and PoE devices, while the low smoke zero halogen jacket reduces harmful emissions in confined or public spaces.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 50m Grey in short:

- 50 m Cat6 U/UTP cable with male RJ-45 connectors, suitable for switches, patch panels, and wall ports.
- LSZH jacket helps limit smoke and toxic gases, useful for indoor, public, and enclosed installations.
- Supports high-speed data up to 10000 Mbit/s and 250 MHz, and can carry Power over Ethernet for cameras and access points.
- 26 AWG copper conductors for consistent signal quality over typical office runs.
- Consider using shielded cable where electromagnetic interference is high if you need extra protection.

Product details

This Prokord cable connects network equipment with standard RJ-45 terminations and delivers Cat6 performance for everyday LAN and PoE needs. It is sold as a single 50 m length, making it suitable for longer patch runs or permanent cabling between racks and work areas. The LSZH jacket meets safety needs for public or enclosed environments, while the copper conductors and 250 MHz rating provide stable throughput for common network applications.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	50 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------