



Prokord UTP-0087

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Cat6 UTP cable delivers up to 10 Gbit/s and 250 MHz for fast networks
- ✓ LSZH jacket reduces harmful fumes, ideal for offices and comms rooms
- ✓ Supports Power over Ethernet, run PoE devices without extra cabling
- ✓ 5m length keeps rack to desk cabling tidy and easy to manage
- ✓ 26 AWG copper cores balance flexibility with reliable signal

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Blue. This 5 meter Cat 6 patch cable delivers reliable, high-speed links for office and rack connections. The LSZH jacket reduces smoke and corrosive gases in enclosed spaces, while the unshielded design and molded RJ45 plugs make routing and termination simple and cost effective.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Blue in short:

- 5 m Cat 6 patch cable for connecting switches, routers, wall outlets and patch panels.
- Supports up to 10000 Mbit/s at 250 MHz, suitable for gigabit networks and short-range 10G links.
- LSZH jacket for reduced smoke and halogen emissions, blue color for easy identification.
- U/UTP unshielded construction with 26 AWG copper conductors and male RJ45 plugs, supports Power over Ethernet.
- Note: unshielded cable is best for typical office environments; consider shielded cable if you expect strong electromagnetic interference.

Product details

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Blue is a straightforward network patch cable that balances performance and practical installation needs. Its 26 AWG copper conductors and molded RJ45 connectors ensure consistent signal contact and reliable PoE delivery to devices like access points and IP phones. The Cat 6 performance and 250 MHz bandwidth support current gigabit networks and short-distance 10G applications, while the LSZH jacket makes the cable suitable for use in public or enclosed spaces where low smoke is preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Power over Ethernet (PoE)	Yes
Frequency	250 MHz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------