




Prokord UTP-0089

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Up to 10 Gbps performance over Cat6 at 250 MHz for reliable bandwidth
- ✓ LSZH jacket limits smoke and halogens for safer indoor installations
- ✓ Copper AWG26 conductors maintain signal integrity and support PoE
- ✓ 5m length gives room for flexible placement between devices and racks
- ✓ Molded RJ45 plugs ensure easy plug and play with standard ports

Product description

Why choose this Ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Grey is a 5 metre Cat 6 patch cable built for dependable network links in offices and wiring closets. It supports up to 10,000 Mbit/s at 250 MHz and Power over Ethernet, while the low smoke zero halogen jacket enhances safety in enclosed spaces. The unshielded design keeps the cable flexible and cost effective for standard LAN runs.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Grey in short:

- Cat 6 U/UTP cable for high-speed local networks, suitable for desktop to switch connections and patch panels.
- RJ45 male-to-male connectors provide plug-and-play setup for switches, routers, and network ports.
- LSZH jacket reduces toxic smoke in case of fire, useful in offices, schools, and public buildings.
- 26 AWG copper conductors with PoE support work well for IP phones, wireless access points, and PoE cameras.
- Consideration: unshielded cable is not ideal near strong electromagnetic interference sources.

Product details

This accessory provides a straightforward way to extend or connect network devices over a short distance. The RJ45 connectors on both ends make installation quick, and the cable’s 5 metre length suits desk areas and small rack setups. The grey LSZH sheath helps the cable blend into professional environments while meeting safety requirements for enclosed spaces.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------