




Prokord UTP-0093

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ Cat6 performance delivers 10Gbps at 250MHz for fast LANs
- ✓ 26 AWG copper conductors ensure stable signals and low loss
- ✓ PoE compatible, powers phones and cameras over one cable
- ✓ LSZH jacket reduces smoke and toxic gas in confined spaces
- ✓ 5m length with RJ45 plugs, simple plug and play for offices

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m White provides a dependable wired connection for desktops, switches, and networked devices. It supports high data rates and Power over Ethernet, while the low smoke zero halogen jacket increases safety in confined or public spaces. The 5 meter length fits typical office and rack-to-desk runs.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m White in short:

- Cat6 construction and copper conductors for reliable high-speed LAN connections and PoE-powered devices.
- LSZH jacket reduces smoke and toxic gases, suitable for cable trays and enclosed areas.
- Molded RJ-45 male-to-male connectors with strain relief for repeated plugging and tidy runs.
- 5 m length matches common desk-to-switch and patching requirements.
- Consider that this is unshielded UTP, so it is best for standard office environments rather than high-interference industrial sites.

Product details

This Prokord cable is built to carry multi-gigabit traffic and to support PoE devices like IP phones, access points, and cameras. The unshielded design keeps the cable flexible and easy to route in office ceilings and under desks. The LSZH outer jacket adds a safety layer where reduced smoke and halogen emissions are required. Molded RJ45 plugs help protect the conductor terminations and make the cable simple to install and replace.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------