



Prokord UTP-0094

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ 10 Gbps Cat6 cable for fast, reliable network traffic
- ✓ PoE compatible, powers devices without extra power cabling
- ✓ 5m length gives tidy connections for desks and patch panels
- ✓ LSZH jacket reduces smoke and toxic gases in confined spaces
- ✓ 26 AWG copper conductors, UTP for stable signal and flexibility

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Yellow provides reliable Cat 6 connectivity for short runs. It supports high-speed LAN traffic and Power over Ethernet, while the LSZH jacket reduces smoke and corrosive gases in confined spaces. The 5 meter length and yellow colour make it practical for desk-to-switch links and clear cable routing.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 5m Yellow in short:

- 5 m Cat 6 U/UTP patch cable with RJ-45 male connectors, ideal for connecting desktops, switches, and patch panels.
- Supports data rates up to 10000Mbit/s and a 250 MHz frequency, suitable for high-speed LAN and short-distance 10G links.
- LSZH jacket lowers smoke and toxic gas release, useful for indoor and public-space installations.
- PoE compatible, so you can power access points, VoIP phones, and cameras over the same cable.
- Unshielded design; consider shielded cable in environments with strong electromagnetic interference.

Product details

The cable uses standard RJ-45 male connectors on both ends for plug-and-play compatibility with common networking equipment. Copper conductors and Category 6 construction deliver the bandwidth and signal quality needed for Ethernet and PoE devices. The low-smoke zero-halogen jacket and bright yellow colour help with safety and easy identification in office and data centre wiring.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Yellow

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------