



Prokord UTP-0095

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Cat 6 rating delivers up to 10 Gbit/s performance at 250 MHz
- ✓ LSZH jacket limits smoke and hazardous gases in enclosed areas
- ✓ PoE compatible to power IP phones, access points and cameras
- ✓ 7m length offers tidy runs between racks, desks and patch panels
- ✓ 26 AWG copper conductors provide flexible, low loss signal links

Product description

Why choose this cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Black is a durable network patch cable that delivers reliable, high-speed connections between switches, routers, and endpoints. The LSZH jacket reduces smoke and toxic emissions for safer indoor use. At 7 m it covers typical desk-to-rack and patch-panel runs, and it supports Power over Ethernet to power devices without extra wiring.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Black in short:

- 7 m Cat6 UTP patch cable with RJ-45 male connectors, suitable for connecting desktops, switches, and patch panels.
- LSZH jacket for installations where low smoke and halogen-free materials are required.
- Supports Power over Ethernet and high data rates up to 10 Gbit/s at 250 MHz, useful for VoIP, IP cameras, and fast LAN links.
- Copper 26 AWG conductors for consistent signal transmission and durability.
- Consideration: unshielded design is not intended for environments with high electromagnetic interference.

Product details

This Prokord Cat6 cable provides a simple, plug-and-play way to extend or patch your network. Both ends terminate in standard RJ-45 male connectors, so it works with common switches, routers, and network devices. The unshielded twisted-pair construction supports modern LAN traffic while the LSZH jacket makes it suitable for offices, corridors, and other enclosed spaces where reduced smoke emission is important.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Power over Ethernet (PoE)	Yes
Frequency	250 MHz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------