



Prokord UTP-0099

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Cat 6 performance, delivers 10,000 Mbit/s and 250 MHz
- ✓ LSZH jacket reduces smoke and toxic gases in enclosed spaces
- ✓ Bright orange colour simplifies cable identification and tracing
- ✓ 7 m length and flexible U/UTP design make routing easy
- ✓ RJ45 male ends with 26 AWG copper support dependable PoE links

Product description

Why choose this network cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Orange delivers reliable copper connectivity for everyday LAN and PoE deployments. It supports high data rates and a 250 MHz frequency for fast file transfers and smooth streaming. The LSZH jacket reduces smoke and toxic gases in confined spaces, while the bright orange colour helps with cable identification and structured cabling.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Orange in short:

- Cat 6 performance, suitable for high-speed local networks and PoE-powered devices like access points and VoIP phones.
- LSZH jacket for installations where low smoke and halogen-free materials are required.
- 7 m length and orange colour simplify routing and identification in racks and workspaces.
- RJ-45 male-to-male connectors with 26 AWG copper conductors for dependable signal integrity.
- Unshielded U/UTP design, consider shielded cable if your environment has significant electromagnetic interference.

Practical details

The cable features RJ-45 male connectors at both ends and supports data transfers up to 10 000 Mbit/s with a 250 MHz bandwidth, making it suitable for demanding network links. It is supplied as a single pack and the LSZH jacket improves safety in public and enclosed areas. The unshielded construction keeps the cable flexible and easy to route through conduits and cable trays while the orange jacket aids visual management.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Orange

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	26
Frequency	250 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------