



Prokord UTP-0101

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Cable length	7 m
Jacket material	LSZH

Summary

- ✓ Cat 6 performance supports 10 Gbit/s links and 250 MHz bandwidth
- ✓ Supports PoE to power network devices over the same cable
- ✓ LSZH jacket reduces smoke and halogen risks in enclosed spaces
- ✓ 7 m length and red colour simplify cable routing and identification
- ✓ 26 AWG copper conductors provide stable signal transmission

Product description

Why choose this ethernet cable?

Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Red helps you maintain neat, reliable network connections for office and data-centre patching. Cat 6 performance supports high-speed links and PoE, while the LSZH jacket reduces smoke and halogen risk in confined areas. The 7 m length and red colour simplify cable management and identification.

TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Red in short:

- Cat 6 U/UTP patch cable, suitable for high-throughput links and PoE-enabled devices.
- Male RJ-45 to male RJ-45 connectors for quick plug-and-play installation.
- LSZH jacket reduces toxic fumes and smoke, suitable for indoor use in populated or enclosed spaces.
- 26 AWG copper conductors for consistent signal transmission and stability.
- Consider that the 7 m length is ideal for desk-to-patch-panel runs, not for long backbone cabling.

Product details

The Prokord TP-Cable UTP CAT.6 Unshielded Lszh RJ45 7m Red is a patch cable for connecting switches, routers, workstations and other networked devices. Both ends have male RJ-45 plugs for quick plug-and-play installation. Copper conductors with a 10,000 Mbit/s capacity and 250 MHz bandwidth support demanding data flows and PoE devices. The low-smoke zero-halogen jacket improves safety in indoor environments and the red colour helps with visual identification. The cable is supplied as a single unit.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	7 m
Cable standard	Cat 6
Cable shielding	U/UTP (UTP)
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Red
Jacket material	LSZH

Conductor material	Copper
AWG wire size	26
Data transfer rate	10000 Mbit/s
Power over Ethernet (PoE)	Yes
Frequency	250 MHz

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------