



# Prokord VGA-VGA 0022

Data sheet

## Core Specs

|                |      |
|----------------|------|
| Cable length   | 1 m  |
| Connector 1    | VGA  |
| Connector 2    | VGA  |
| Product colour | Grey |

## Summary

- ✓ 1 m VGA cable keeps short runs tidy between PC and projector
- ✓ Gold-plated contacts and tinned copper resist corrosion and dropouts
- ✓ Alu foil plus braid shielding reduces EMI for steady analog video
- ✓ Straight male HD15 connectors give a secure, easy plug-in fit
- ✓ Pin 9 omitted to match specific VGA wiring in legacy setups

# Product description

## Why choose this cable?

Prokord Cable VGA HD15mA - HD15mA W/O Pin-9 1m provides dependable analog video transmission for short runs. The 1 metre length and straight male HD15 connectors make it easy to link PCs, monitors and projectors. Gold-plated contacts, tinned copper conductors and foil plus braid shielding help reduce interference and maintain stable image quality. The grey PVC jacket keeps the cable neat and durable in office environments.

## Cable VGA HD15mA - HD15mA W/O Pin-9 1m in short:

- 1 m VGA cable with straight male HD15 connectors, suitable for connecting desktop PCs to monitors or projectors.
- Gold-plated contacts and tinned copper conductors for consistent signal transfer and corrosion resistance.
- Aluminium foil plus braid shielding and 6 mm diameter PVC jacket reduce electromagnetic interference and simplify routing.
- Lightweight and compact, supplied as a single cable per pack for easy installation and replacement.
- Note the cable omits pin 9, so check device requirements before purchase.

## Product details

This VGA accessory carries analog RGB signals between devices with HD15 ports while keeping installation simple. The cable’s shielding and conductor choices support stable picture quality over the 1 metre run, and the grey PVC jacket is resilient for regular use. The omission of pin 9 means some devices may require a different cable, so verify compatibility with your equipment before fitting.

# Technical Specification Matrix

## Header

|              |         |
|--------------|---------|
| Manufacturer | Prokord |
|--------------|---------|

## Features

|                            |             |
|----------------------------|-------------|
| Connector contacts plating | Gold plated |
| Cable length               | 1 m         |
| Connector 1                | VGA         |
| Connector 1 gender         | Male        |
| Connector 1 form factor    | Straight    |
| Connector 2                | VGA         |
| Connector 2 gender         | Male        |
| Connector 2 form factor    | Straight    |

|                   |               |
|-------------------|---------------|
| Product colour    | Grey          |
| Quantity per pack | 1 pc(s)       |
| Cable material    | Tinned copper |

Weight & dimensions

|                |       |
|----------------|-------|
| Weight         | 130 g |
| Cable diameter | 6 mm  |

Logistics data

|                             |          |
|-----------------------------|----------|
| Harmonized System (HS) code | 84733080 |
|-----------------------------|----------|