



Sync/Charge Cable USB-C0.15m USB-A USB-C Black

Data sheet

Summary

- ✓ USB-A to USB-C, male-to-male, straight connectors for direct device-to-host connections.
- ✓ 0.15 m length, ideal for close connections to laptops, docking stations, or power banks.
- ✓ USB 3.2 support with up to 10 Gbit/s transfer speed for fast file syncs.
- ✓ USB Power Delivery up to 4.5 W, suitable for syncing and low-power charging; not intended for high-speed charging.
- ✓ TPE jacket and nickel-plated contacts for flexibility and improved contact durability. Quantity: 1 pc per pack.

Product description

Why choose this USB-C cable?

Cirafon Sync/Charge Cable USB-C gives reliable short-range connections for data transfer and low-power charging. Its compact 0.15 m length keeps devices close and reduces cable clutter. Built for regular use, it combines USB 3.2 speed with a flexible TPE jacket and corrosion-resistant contacts for dependable day-to-day performance.

Cirafon Sync/Charge Cable USB-C in short:

- USB-A to USB-C, male-to-male, straight connectors for direct device-to-host connections.
- 0.15 m length, ideal for close connections to laptops, docking stations, or power banks.
- USB 3.2 support with up to 10 Gbit/s transfer speed for fast file syncs.
- USB Power Delivery up to 4.5 W, suitable for syncing and low-power charging; not intended for high-speed charging.
- TPE jacket and nickel-plated contacts for flexibility and improved contact durability. Quantity: 1 pc per pack.

Product details

Cirafon Sync/Charge Cable USB-C is designed to connect USB-C devices to a USB-A host for syncing data and providing a modest charge. With a 5 V input and 0.9 A maximum current, it is best used for data transfers and maintaining battery levels rather than rapid charging. The cable’s TPE jacket offers flexibility and strain resistance, while nickel-plated contacts help prevent corrosion and maintain a stable connection.

Technical Specification Matrix

Header

Manufacturer	Cirafon
--------------	---------

Features

Maximum data transfer rate	10 Gbit/s
Cable length	0.15 m
USB version	USB 3.2
Connector 1	USB-A
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	USB-C
Connector 2 gender	Male
Connector 2 form factor	Straight
USB Power Delivery	Yes

USB Power Delivery up to	4.5 W
Product colour	Black
Cable jacket material	TPE
Connector contacts plating	Nickel plating

Power

Input voltage	5 V
Input current (max)	0.9 A

Packaging data

Quantity per pack	1 pc(s)
-------------------	----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	-----------------