



Prokord HDMI2.0-H-0005

Data sheet

Core Specs

Cable length	5 m
Connector 1	HDMI
Connector 2	HDMI
Product colour	Black
HDMI version	2.0

Summary

- ✓ Delivers 4K HDR video at 60Hz for crisp, smooth playback
- ✓ Gold-plated connectors and tinned copper conductors reduce signal loss
- ✓ Aluminium foil and braid shielding reduces interference for stable images
- ✓ ARC and Ethernet channels simplify audio return and network setup
- ✓ 5m LSZH TPE jacket allows safe, flexible routing in offices

Product description

Why choose this HDMI cable?

Prokord HDMI 2.0 4K GOLD 5M is a 5 metre HDMI cable that delivers 4K video at 60Hz with HDR support, helping you maintain high-quality video in meeting rooms, AV installations, and home setups. Gold-plated contacts and aluminium foil plus braid shielding reduce interference for stable connections. The LSZH/TPE jacket and tinned copper conductors support safe and durable installations.

HDMI 2.0 4K GOLD 5M in short:

- Supports 4Kx2K (4096 x 2160) at 60Hz with HDR and 12-bit colour, suitable for 4K TVs, streaming devices, and projectors.
- Male-to-male HDMI connectors with gold-plated contacts and straight form factor for a consistent physical and electrical connection.
- HDMI Ethernet Channel and Audio Return Channel simplify networked AV setups and soundbar connections.
- Tinned copper conductors and aluminium foil plus braid shielding reduce interference, with an LSZH/TPE jacket for safer installations.
- 5 metre length, check device placement and cable routing when planning your setup.

Product details

This cable lets you connect two HDMI-equipped devices using straight, male-to-male connectors while supporting HDR, HDCP and 12-bit colour depth for accurate video reproduction. ARC and the HDMI Ethernet Channel reduce the number of separate cables you need. Gold-plated contacts and dual-layer shielding help preserve signal quality over the full 5 metre run, and the LSZH/TPE jacket with robust conductors makes the cable suitable for both permanent and temporary installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Connector 1	HDMI
Connector 1 gender	Male
Connector 1 form factor	Straight
Connector 2	HDMI
Connector 2 gender	Male
Connector 2 form factor	Straight

Product colour	Black
HDMI version	2.0
Maximum resolution	4Kx2K pixels
Supported video modes	2160p
Supported graphics resolutions	4096 x 2160
AWG wire size	26AWG
Connector contacts plating	Gold
HDCP	Yes
Audio Return Channel (ARC)	Yes
Cable jacket material	Thermoplastic elastomer (TPE), Low smoke zero halogen (LSZH)
Cable shielding	Aluminium foil + braid
HDMI Ethernet channel	Yes
Data transfer rate	4.5 Gbit/s
Quantity per pack	1 pc(s)
High Dynamic Range (HDR) supported	Yes
Maximum refresh rate	60 Hz
Cable material	Tinned copper
Colour depth	12 bit

Weight & dimensions

Weight	375 g
Cable diameter	8.5 mm

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------