



Prokord U/FTP-0004

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ 10Gbps performance at 500MHz, supports high bandwidth applications
- ✓ U/FTP shielding reduces crosstalk and interference for reliable links
- ✓ Slim 32AWG copper design bends easily, saves rack and desk space
- ✓ LSZH jacket reduces toxic fumes, suitable for indoor and public areas
- ✓ 2m male to male with PoE support, ready for short patch runs

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m White delivers 10 Gbit/s performance with a slim, flexible profile that simplifies cable routing in crowded racks and tight spaces. The LSZH jacket lowers smoke in enclosed environments, while U/FTP shielding and copper conductors help maintain stable, low-interference connections and PoE compatibility.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m White in short:

- Cat 6A cable for 10 Gbit/s Ethernet and high-bandwidth applications.
- U/FTP pair shielding reduces crosstalk and EMI in electrically noisy installations.
- Slim LSZH jacket and 32 AWG copper conductors for flexible routing and neat cable management.
- Male RJ-45 connectors on both ends, compatible with standard Ethernet ports and PoE devices.
- Sold as a single 2 m cable, suitable for individual workstation or device connections.

Product details

The Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m White is a straightforward patch cable for linking switches, access points, IP phones, and other networked devices. Its pair-level shielding helps preserve signal integrity in server rooms and office environments that face electromagnetic interference. The low smoke zero halogen jacket meets safety needs for installations in public or confined spaces, and the slim construction makes it easier to route through cable trays, raceways, and behind furniture.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------