

Prokord U/FTP-0005

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ Cat6A performance, 10Gbps and 500MHz for reliable high-speed links
- ✓ U/FTP shielding cuts crosstalk, keeps connections stable
- ✓ Slim white jacket fits tight trays and keeps wiring neat
- ✓ LSZH jacket lowers smoke and halogen risk in confined spaces
- ✓ PoE ready, lets you power devices without extra power leads

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m White gives you reliable 10 Gbit/s performance and robust shielding in a compact form. It is easy to route in tight spaces and meets low-smoke, low-halogen requirements for installations where safety and neat cable management matter. The 3 m length suits connections between switches, patch panels, and endpoint devices.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m White in short:

- Cat 6A performance up to 10,000 Mbit/s and 500 MHz for high-speed uplinks and short server links.
- U/FTP shielding reduces crosstalk and interference in dense racks or near electrical equipment.
- Slim white LSZH jacket keeps visible runs tidy and lowers smoke and toxic gas in case of fire.
- Molded male RJ-45 connectors and 3 m length for quick plug-and-play connections to switches, access points, and desktops.
- Supports Power over Ethernet for PoE devices.

Product details

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m White uses fine copper conductors with AWG 32 wire size for flexibility during installation. The U/FTP construction provides pair-level shielding for improved signal integrity in noisy environments. The molded RJ-45 plugs deliver reliable contact and strain relief for frequent handling. Use this cable where you need a neat, safe, and high-speed link between network equipment and endpoints.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	White
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------