



Prokord U/FTP-0007

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s throughput at 500 MHz supports high-speed network links
- ✓ U/FTP shielding reduces crosstalk, keeps connections stable in dense racks
- ✓ LSZH jacket limits smoke and toxic gases for safer enclosed spaces
- ✓ PoE compatible, powers devices without extra power cabling
- ✓ 0.3m slim patch lead, flexible 32 AWG copper for tight installs

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim LSZH RJ45 0.3m Black provides a short, slim patch connection for high-density racks and tight spaces. The Cat 6A design with U/FTP shielding supports 10 Gbit/s links while reducing interference. Its LSZH jacket limits smoke and halogen output, making it suitable for use in confined or populated installation areas.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Black in short:

- Slim 0.3 m patch cable, ideal for adjacent ports on switches and patch panels.
- Cat 6A with U/FTP shielding for stable 10 Gbit/s performance and reduced crosstalk.
- Low smoke zero halogen jacket for safer installation in enclosed spaces.
- RJ45 male-to-male connectors with copper conductors and AWG 32, compatible with PoE.
- Note: 0.3 m length is for short patching runs; consider length when planning layout.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Black

This compact patch cable gives you a reliable short link between network ports, useful for tidy cable management in racks and workstations. The slim LSZH jacket and compact RJ45 ends help save space and keep runs neat. U/FTP shielding and copper conductors support high-speed links and PoE, while the black finish integrates cleanly into standard installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------