



Prokord U/FTP-0010

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	2 m
Jacket material	LSZH

Summary

- ✓ U/FTP shielding reduces interference, delivering stable 10Gbps links
- ✓ 500 MHz rating supports high bandwidth apps and HD streaming
- ✓ LSZH jacket reduces toxic smoke risk, ideal for enclosed spaces
- ✓ 2 m length with copper 32 AWG conductors and RJ45 ends supports PoE

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m Black gives you 10 Gbps performance in a slim, easy-to-route form. It combines U/FTP shielding and an LSZH jacket for reliable signal integrity and reduced smoke in confined spaces. Use it for short patching runs where space, safety, and PoE capability matter.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m Black in short:

- Delivers up to 10 000 Mbit/s and 500 MHz bandwidth, suitable for high-speed switches, NAS connections, and workstation links.
- U/FTP shielding helps reduce crosstalk and interference in dense cabling environments.
- Slim LSZH jacket and 2 m length make it easy to route in server cabinets, under desks, or in patch panels.
- Supports Power over Ethernet, convenient for access points and PoE cameras on short runs.
- Purchase note: the 2 m length and AWG 32 conductor offer flexibility but are intended for short patching distances rather than long backbone runs.

Product details

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 2.0m Black is a male-to-male RJ-45 patch cable with copper conductors and U/FTP (shielded pairs) construction. The slim LSZH jacket reduces bulk and emits minimal smoke if exposed to heat, which is useful in offices and enclosed racks. The cable supports PoE and is designed for short, high-bandwidth connections where a compact, low-emission cable is preferred.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	2 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Black
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------