



Prokord U/FTP-0013

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s Cat6A performance supports high-speed server and switch links
- ✓ FTP shielding minimizes EMI for stable connections in busy wiring closets
- ✓ 0.3m length keeps patch runs neat and reduces cable clutter in racks
- ✓ LSZH jacket limits toxic smoke for safer equipment rooms and comms spaces
- ✓ PoE support powers phones and APs without extra power cabling

Product description

Why choose this patch cable?

Prokord TP-Cable Slim is a short, shielded Cat 6A patch cable that delivers reliable 10 Gbit/s links in dense cabling environments. It reduces clutter with a slim profile and 0.3 m length, supports Power over Ethernet for powered devices, and uses an LSZH jacket for safer use in confined spaces and equipment racks.

TP-Cable Slim in short:

- Slim 0.3 m length, ideal for tidy connections between switches, patch panels, and devices mounted close together.
- Cat 6A performance with 10 Gbit/s and 500 MHz bandwidth for high-speed data and server links.
- F/UTP shielding reduces electromagnetic interference in crowded cable bundles.
- LSZH jacket and copper conductors for safer installations and consistent signal quality.
- Note: sold as a single cable, check length requirements before purchase.

Main functions

Prokord TP-Cable Slim uses RJ-45 male connectors on both ends to make short, high-performance Ethernet connections simple and reliable. The fine 32 AWG copper conductors and slim build make the cable flexible and easy to route behind racks or in patch panels. With PoE support and foil shielding, it is suitable for connecting VoIP phones, access points, and switch-to-switch links where space and interference control matter.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH
Conductor material	Copper

Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------