



Prokord U/FTP-0015

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	1 m
Jacket material	LSZH

Summary

- ✓ Cat6A rated, 10Gbit/s at 500MHz for fast, reliable LAN performance
- ✓ U/FTP shielding minimizes crosstalk and EMI for stable links
- ✓ Slim, 1m design saves space and simplifies short patch runs
- ✓ LSZH jacket limits toxic smoke, suitable for workplace cabling
- ✓ Supports PoE, copper conductors and 32 AWG for device power

Product description

Why choose this network cable?

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Grey Prokord. This slim Cat 6A patch cable delivers up to 10,000 Mbit/s at 500 MHz for reliable short-distance links. U/FTP shielding reduces electromagnetic interference, and the LSZH jacket is suitable for installations where low smoke and no halogen are required. The compact profile makes routing and cable management easier in tight spaces.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Grey in short:

- Cat 6A performance, supporting up to 10,000 Mbit/s and 500 MHz for high-bandwidth connections.
- U/FTP shielding minimises crosstalk and EMI, useful in dense cable runs or near electrical equipment.
- Slim, LSZH jacket for neat routing in racks and safe use in public or enclosed spaces.
- Male RJ-45 to male RJ-45 with copper conductors and 32 AWG wires, compatible with Power over Ethernet for devices such as access points and IP cameras.
- Supplied as a single 1 m cable, check the length fits your setup before ordering.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 1.0m Grey

This Prokord cable is designed for short patching tasks between switches, patch panels, wall outlets and networked devices. The combination of Cat 6A specification and shielded construction helps preserve signal integrity in busy installations. The LSZH jacket reduces smoke and toxic gas emissions in the event of fire, making it suitable for data centres, offices and public buildings.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	1 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------