



Prokord U/FTP-0017

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	3 m
Jacket material	LSZH

Summary

- ✓ 10Gbps performance at 500MHz for reliable high-speed network links
- ✓ U/FTP shielding cuts interference for stable data in noisy environments
- ✓ LSZH jacket reduces smoke and toxins, ideal for shared office spaces
- ✓ Slim 32AWG copper design makes routing easier and saves rack space
- ✓ 3m male RJ45 to RJ45 plug and play for quick patching and PoE

Product description

Why choose this network cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Grey. A slim, shielded Cat 6A patch cable that delivers reliable 10 Gbit/s links for local networks. The U/FTP shielding reduces interference in dense rack and office environments. The LSZH jacket lowers smoke and toxic gas emissions for safer indoor installations. The 3 m length and flexible construction make routing and cable management straightforward.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 3.0m Grey in short:

- Shielded Cat 6A cable for stable 10 Gbit/s performance and up to 500 MHz, suitable for server uplinks and high-bandwidth connections.
- Slim, flexible design with 32 AWG copper conductors, ideal for neat routing in patch panels, racks, and tight spaces.
- Low smoke zero halogen jacket reduces hazardous emissions, appropriate for public buildings and enclosed areas.
- Standard RJ45 male-to-male connectors with PoE support, compatible with switches, routers, and powered devices.
- Purchase note: 3 m length fits desk-to-switch and intra-rack runs; confirm required run length before ordering.

Use and compatibility

The Prokord cable connects standard RJ45 ports to carry data and power in network and AV setups. U/FTP shielding helps prevent crosstalk and external interference, which is useful where many cables or electronic devices are present. The LSZH jacket and slim profile make the cable a practical choice for managed installations that need both safety and space-efficient routing.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male

Product colour	Grey
Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------