



Prokord U/FTP-0018

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	5 m
Jacket material	LSZH

Summary

- ✓ 10 Gbps, 500MHz performance supports high bandwidth apps
- ✓ U/FTP shielding reduces crosstalk, keeps links stable in noisy sites
- ✓ Slim, 32 AWG copper design stays flexible for tight cable runs
- ✓ LSZH jacket limits smoke and toxic fumes, safer in confined areas
- ✓ PoE ready, powers phones and access points over a 5m run

Product description

Why choose this Ethernet cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Grey is a slim, shielded Cat6A patch cable that delivers 10 Gbit/s performance and 500 MHz bandwidth for reliable high-speed links. The U/FTP shielding reduces interference, while the low smoke zero halogen jacket improves safety in confined or public spaces. It is easy to route in dense installations and supports Power over Ethernet devices.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Grey in short:

- Cat 6A performance, suitable for 10 Gbit/s connections and high-bandwidth applications.
- U/FTP shielding helps reduce crosstalk and maintain signal integrity in crowded cable environments.
- Slim grey LSZH jacket allows neater cable management and safer use in enclosed spaces.
- Shielded RJ45 male connectors, copper conductors (AWG 32), and PoE support.
- 5 m length, check required run length before purchase.

Product details

The TP-Cable U/FTP CAT.6A Slim Lszh RJ45 5.0m Grey is designed for short to medium runs where space and interference control matter. Its slim profile makes it practical for patch panels, under-desk routes, and conduit runs. The copper conductors combined with full pair shielding keep latency and errors low, and the LSZH jacket reduces hazardous fumes in the event of a fire. The cable comes with shielded RJ45 plugs for reliable plugs-and-play use with PoE equipment.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Grey
Jacket material	LSZH

Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------