



Prokord U/FTP-0019

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.3 m
Jacket material	LSZH

Summary

- ✓ 10 Gbit/s performance at 500MHz supports high bandwidth apps
- ✓ U/FTP shielding reduces EMI and crosstalk for reliable links
- ✓ LSZH jacket lowers smoke and halogen risks in enclosed spaces
- ✓ 0.3m slim 32 AWG copper is flexible, keeps panels tidy
- ✓ PoE support powers devices without extra power cabling

Product description

Why choose this Ethernet cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Green gives reliable, short-range links where space is limited. The slim, shielded design reduces interference and fits neatly in patch panels and dense cable managers. Its LSZH jacket lowers smoke and toxic gases in enclosed environments, and it supports Power over Ethernet for connected devices.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.3m Green in short:

- Delivers 10 Gbit/s performance at up to 500 MHz, suitable for short, high-speed connections between switches and equipment.
- U/FTP shielding cuts crosstalk and electromagnetic interference, useful in crowded rack or data center areas.
- Slim LSZH jacket saves space and meets low-smoke requirements for indoor installations and plenum-like environments.
- 0.3 m length and male RJ45 connectors are ideal for patching within racks, between ports on switches, or linking PoE devices.
- Consideration: the very short 0.3 m length is intended for patching and not for long horizontal cabling runs.

Practical details

This Prokord cable uses copper conductors in a 32 AWG size and secure RJ45 male connectors on both ends. The U/FTP shield and Cat 6A standard help maintain signal integrity in high-density setups, while the LSZH jacket makes it suitable for indoor installations where low smoke emission is required. The green colour provides easy visual identification in mixed cabling environments.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.3 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Green

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------