

Prokord U/FTP-0026

Data sheet

Core Specs

Connector 1	RJ-45
Connector 2	RJ-45
Cable standard	Cat 6A
Cable shielding	U/FTP
Cable length	0.5 m
Jacket material	LSZH

Summary

- ✓ U/FTP shielding reduces interference, delivers stable 10G links
- ✓ LSZH jacket lowers smoke and toxic emissions for safer sites
- ✓ 0.5m slim cable saves rack space, reduces cable clutter
- ✓ Supports PoE and 500MHz performance for powered, fast devices

Product description

Why choose this cable?

Prokord TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.5m Blue delivers reliable 10 Gbit/s connectivity for short patch runs, with U/FTP shielding to reduce interference in dense rack environments. The slim LSZH jacket eases cable management in crowded panels and improves safety in enclosed spaces. It also supports Power over Ethernet for PoE devices.

TP-Cable U/FTP CAT.6A Slim Lszh RJ45 0.5m Blue in short:

- High-speed 10 Gbit/s performance at 500 MHz, suitable for short, high-bandwidth links between switches and servers.
- U/FTP shielding reduces crosstalk and improves signal integrity in high-density or electrically noisy environments.
- Slim LSZH jacket saves space in patch panels and lowers smoke and halogen emissions in case of fire.
- Supports Power over Ethernet, suitable for PoE cameras, phones, and wireless access points.
- 0.5 m length is intended for adjacent port patching, check required cable reach before ordering.

Product details

This slim Cat 6A patch cable has male RJ-45 connectors on both ends and copper conductors in a 32 AWG construction, providing a compact, shielded link for short connections between switches, patch panels, and wall ports. The blue jacket aids identification during installation, and the LSZH material reduces toxic smoke and halogen output in confined installations.

Technical Specification Matrix

Header

Manufacturer	Prokord
--------------	---------

Features

Cable length	0.5 m
Cable standard	Cat 6A
Cable shielding	U/FTP
Connector 1	RJ-45
Connector 1 gender	Male
Connector 2	RJ-45
Connector 2 gender	Male
Product colour	Blue

Jacket material	LSZH
Conductor material	Copper
Data transfer rate	10000 Mbit/s
AWG wire size	32
Frequency	500 MHz
Power over Ethernet (PoE)	Yes

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------